

A9068119

SMART-CASE XL, Vers. II

Two-part handheld case with screw connection without battery compartment. With recessed operating area for membrane keyboards. PCBs can be fixed in the top and base part.

Version

Without battery compartment

Supply

Case-top and base, assembly kit



TECHNICAL DATA

Material	ABS (UL 94 HB)
Protection class	IP 65 opt. Necessary accessories: sealing, IP 40
Colour	black RAL 9005
Standards	RoHS compliant, REACH compliant

The degree(s) of protection listed refer to the empty standard enclosures (without any modifications) and are in compliance with the EN 60529 standard.

Length	168 mm
Width	74.4 mm
Height	35.4 mm
PCB length, base	127 mm
PCB width, base	61 mm
PCB length, top	132 mm
PCB width, top	61 mm
Keypad length	110.5 mm
Keypad width	61.5 mm

Please take the dimensions from current parts. These are subject to material- and manufacturing-specific tolerances.

A9068119

SMART-CASE XL, Vers. II

PURCHASING DATA

Weight/1 part	94 g
Customs tariff number (OKW product)	39269097
Country of manufacture	Germany

CUSTOMISING OPTIONS

What else do you need to create your own personal product? We can supply our enclosures and tuning knobs fully modified to suit your electronic components and design requirements. Please advise for anything else we can do for you.

Customising options for A9068119



Machining



Printing



Laser marking



Decor foils



Special material



EMC shielding



Installation / Assembly
of accessories

A9068119

SMART-CASE XL, Vers. II

ACCESSORY "STATION"



A9166004
Set of pull-relief
PA 6
volcano




A9168039
Station XL
ABS (UL 94 HB)
black RAL 9005



A9193032
Spring contact

ACCESSORY "PROTECTION"



A9168002
Sealing XL

ACCESSORY "WALL/HOLDER"



A9167029
Holding clamp
PA 6 (UL 94 HB)
black RAL 9005



A9168005
Adhesive foil XL



A9168309
Holder XL
ABS (UL 94 HB)
black RAL 9005

ACCESSORY "CARRYING"



A9100002
Ring eyelet
PA 6
volcano



A9167019
Belt/pocket clip
PA 6 (UL 94 HB)
black RAL 9005

A9068119

SMART-CASE XL, Vers. II

ACCESSORY "SCREWS"



A0304031

Self-tapping screws 2.2 x 5 mm
(PZ1)

ACCESSORY




A9193030




Contact pin
gold-plated

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.


Version ohne Batteriefach, ohne Kabeltülle
version without battery compartment, without cable bush




Schnitt A-A




Unterteil Innenansicht
Base part inside view




Oberteil Innenansicht
Top part inside view




Platine für Unterteil ohne Batteriefach
PCB for base part with battery compartment






Folientastatur
membrane keyboard




Version mit Kabeltülle
version with cable bush




Schnitt B-B




Unterteil Innenansicht
Base part inside view




Oberteil Innenansicht
Top part inside view





Platine für Oberteil
PCB for top part





Platine für Oberteil ohne Batteriefach
PCB for top part without battery compartment





Version mit Batteriefach
version with battery compartment




Schnitt C-C




Plexiglas Version



Unterteil innenansicht
Base part inside view





Oberteil Innenansicht
Top part inside view



For 2x AA cells
suitable set of battery clip
No. A91 90 002

For 1x Flat Battery
use plug in contact
No. A91 60 003


Platine für Unterteil mit Batteriefach
PCB for base part with battery compartment



Bitte die Maße an aktuellen
Teilen abnehmen.
Diese unterliegen material-
und produktionsspezifischen
Fertigungstoleranzen.

Please take the dimensions
from current parts.
These are subject to material-
and manufacturing-specific
tolerances.

Informationskopie
Copy for information
will not be updated




Erst am: 14.12.2021
Erst von: J. Farrenkopf
Freig am:
Freig von:
Revision: 01

Toleranzen:
DIN 16901 T130
Volumen:
Zeichnungsart:
KUNDE

SMART-CASE XL
All Versions
A9068***

Status:
ENTWICKLUNG
KUNDE



M 1:2

This document contains proprietary information of OKW Gehäusesysteme GmbH and is rendered subject to the conditions that the information be retained in confidence not be reproduced or copied and not be used or incorporated in any product.
Für dieses Dokument behalten wir uns alle Urheberrechte vor. Es darf auch auszugsweise weder vervielfältigt noch Dritten in irgendeiner Form zugänglich gemacht werden.
00012289