

FKSZ2.E334687 - Light-emitting-diode Drivers - Component


Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Light-emitting-diode Drivers - Component

MEAN WELL ENTERPRISES CO LTD

E334687

No 28 Wuquan 3rd Rd
Wugu District
New Taipei City, 24891 Taiwan

Marking: Company name model designation, and the Recognized Component Mark 

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): [APC-12-350](#), [APC-12-700](#), [APC-16-350](#), [APC-16-350RA1](#), [APC-16-700](#), [APC-25-500](#), [APC-35-700](#), [APC-8-250](#), [APC-8-350](#), [APC-8-500](#), [APC-8-700](#), [APV-8-12](#), [APV-8-24](#), [APV-8-5](#), [CEN-100-20](#), [CEN-100-24](#), [CEN-100-30](#), [CEN-100-36](#), [CEN-100-42](#), [CEN-100-48](#), [CEN-100-54](#), [CLG-100-12](#), [CLG-100-15](#), [CLG-100-20](#), [CLG-100-24](#), [CLG-100-27](#), [CLG-100-36](#), [CLG-100-48](#), [CLG-150-12](#), [CLG-150-12A](#), [CLG-150-12B](#), [CLG-150-12C](#), [CLG-150-15](#), [CLG-150-15A](#), [CLG-150-15B](#), [CLG-150-15C](#), [CLG-150-20](#), [CLG-150-20A](#), [CLG-150-20B](#), [CLG-150-20C](#), [CLG-150-24](#), [CLG-150-24A](#), [CLG-150-24B](#), [CLG-150-24C](#), [CLG-150-30](#), [CLG-150-30A](#), [CLG-150-30B](#), [CLG-150-30C](#), [CLG-150-36](#), [CLG-150-36A](#), [CLG-150-36B](#), [CLG-150-36C](#), [CLG-150-48](#), [CLG-150-48A](#), [CLG-150-48B](#), [CLG-150-48C](#), [CLG-60-12](#), [CLG-60-15](#), [CLG-60-20](#), [CLG-60-24](#), [CLG-60-27](#), [CLG-60-36](#), [CLG-60-48](#), [CLN-100-12](#), [CLN-100-15](#), [CLN-100-20](#), [CLN-100-24](#), [CLN-100-27](#), [CLN-100-36](#), [CLN-100-48](#), [CLN-60-12](#), [CLN-60-15](#), [CLN-60-20](#), [CLN-60-24](#), [CLN-60-27](#), [CLN-60-36](#), [CLN-60-48](#), [ELG-100-24Y](#), [ELG-100-36Y](#), [ELG-100-42Y](#), [ELG-100-48Y](#), [ELG-100-54Y](#), [ELG-150-12y](#), [ELG-150-15CL](#), [ELG-200-12y](#), [ELG-200-24y](#), [ELG-200-36y](#), [ELG-200-42y](#), [ELG-200-48y](#), [ELG-200-54y](#), [ELG-200-C1050y](#), [ELG-200-C1400y](#), [ELG-200-C1750y](#), [ELG-200-C2100y](#), [ELG-200-C700y](#), [ELG-240-24y](#), [ELG-240-36y](#), [ELG-240-42y](#), [ELG-240-48y](#), [ELG-240-54y](#), [ELG-240-C1050y](#), [ELG-240-C1400y](#), [ELG-240-C1750y](#), [ELG-240-C2100y](#), [ELG-240-C700y](#), [ELG-300-24Y](#) Y may be blank or A, [ELG-75-12y](#), [ELG-75-24y](#), [ELG-75-36y](#), [ELG-75-42y](#), [ELG-75-48y](#), [ELG-75-C1050y](#), [ELG-75-C1400y](#), [ELG-75-C350y](#), [ELG-75-C500y](#), [ELG-75-C700y](#), [HBG-100-XP \(a\)](#), [HBG-100-XY \(a\)](#), [HBG-240P-36y, Y=A or B](#), [HBG-240P-48y, Y=A or B](#), [HBG-240P-60y, Y=A or B](#), [HLG-240-12Z+](#), [HLG-240-15Z+](#), [HLG-240-20Z+](#), [HLG-240-24Z+](#), [HLG-240-30Z+](#), [HLG-240-36Z+](#), [HLG-240-42Z+](#), [HLG-240-48Z+](#), [HLG-240-54Z+](#), [HLG-240H-12Z+](#), [HLG-240H-15Z+](#), [HLG-240H-20Z+](#), [HLG-240H-24Z+](#), [HLG-240H-30Z+](#), [HLG-240H-42Z+](#), [HLG-240H-48Z+](#), [HLG-240H-54Z+](#), [HLG-240H-C1050](#), [HLG-240H-C1050A](#), [HLG-240H-C1050AB](#), [HLG-240H-C1050ACRE](#), [HLG-240H-C1050AD2](#), [HLG-240H-C1050B](#), [HLG-240H-C1050D](#), [HLG-240H-C1050D2](#), [HLG-240H-C1400](#), [HLG-240H-C1400A](#), [HLG-240H-C1400AB](#), [HLG-240H-C1400AD2](#), [HLG-240H-C1400B](#), [HLG-240H-C1400D](#), [HLG-240H-C1400D2](#), [HLG-240H-C1750](#), [HLG-240H-C1750A](#), [HLG-240H-C1750AB](#), [HLG-240H-C1750B](#), [HLG-240H-C1750D](#), [HLG-240H-C1750D2](#), [HLG-240H-C2100](#), [HLG-240H-C2100A](#), [HLG-240H-C2100AB](#), [HLG-240H-C2100AD2](#), [HLG-240H-C2100B](#), [HLG-240H-C2100D](#), [HLG-240H-C2100D2](#), [HLG-240H-C700](#), [HLG-240H-C700A](#), [HLG-240H-C700AB](#), [HLG-240H-C700AD2](#), [HLG-240H-C700B](#), [HLG-240H-C700D](#), [HLG-240H-C700D2](#), [HLG-320H-57A](#), [HLG-600H-C5200AB](#), [HLG-60H-CXY](#), [HLG-80H-C350A](#), [HLG-80H-C350AB](#), [HLG-80H-C350B](#), [HLG-80H-C350D](#), [HLG-80H-C700A](#), [HLG-80H-C700AB](#), [HLG-80H-C700B](#), [HLG-80H-C700D](#), [HLN-40H-12Z](#) Z can be A, B or AB, [HLN-40H-15Z](#) Z can be A, B or AB, [HLN-40H-20Z](#) Z can be A, B or AB, [HLN-40H-24Z](#) Z can be A, B or AB, [HLN-40H-30Z](#) Z can be A, B or AB, [HLN-40H-36Z](#) Z can be A, B or AB, [HLN-40H-42Z](#) Z can be A, B or AB, [HLN-40H-48Z](#) Z can be A, B or AB, [HLN-40H-54Z](#) Z can be A, B or AB, [HLN-60H-12Z](#) Z can be A, B or AB, [HLN-60H-15Z](#) Z can be A, B or AB, [HLN-60H-20Z](#) Z can be A, B or AB, [HLN-60H-24Z](#) Z can be A, B or AB, [HLN-60H-30Z](#) Z can be A, B or AB, [HLN-60H-36Z](#) Z can be A, B or AB, [HLN-60H-42Z](#) Z can be A, B or AB, [HLN-60H-48Z](#) Z can be A, B or AB, [HLN-60H-54Z](#) Z can be A, B or AB, [HLP-40H-12](#), [HLP-40H-15](#), [HLP-40H-20](#), [HLP-40H-24](#), [HLP-40H-30](#), [HLP-40H-36](#), [HLP-40H-42](#), [HLP-40H-48](#), [HLP-40H-54](#), [HLP-60H-12](#), [HLP-60H-15](#), [HLP-60H-20](#), [HLP-60H-24](#), [HLP-60H-30](#), [HLP-60H-36](#), [HLP-60H-42](#), [HLP-60H-48](#), [HLP-60H-54](#), [HLP-80H-12](#), [HLP-80H-15](#), [HLP-80H-20](#), [HLP-80H-24](#), [HLP-80H-30](#), [HLP-80H-36](#), [HLP-80H-42](#), [HLP-80H-48](#), [HLP-80H-54](#), [HVG-150-12Y](#) Y may be A, B, D or AB, [HVG-150-15Y](#) Y may be A, B, D or AB, [HVG-150-20Y](#) Y may be A, B, D or AB, [HVG-150-24Y](#) Y may be A, B, D or AB, [HVG-150-30Y](#) Y may be A, B, D or AB, [HVG-150-36Y](#) Y may be A, B, D or AB, [HVG-150-42Y](#) Y may be A, B, D or AB, [HVG-150-48Y](#) Y may be A, B, D or AB, [HVG-150-54Y](#) Y may be A, B, D or AB, [HVGC-150-1050Y](#) Y may be A, B, D or AB, [HVGC-150-1400Y](#) Y may be A, B, D or AB, [HVGC-150-350Y](#) Y may be A, B, D or AB, [HVGC-150-500Y](#) Y may be A, B, D or AB, [HVGC-150-700Y](#)

Y may be A, B, D or AB, HVGC-650A-U-AB-HSP, HVGC-650A-U-AB-HSP1, IDLV-45x-12 where x can be A or blank, IDLV-45x-24 where x can be A or blank, IDLV-45x-36 where x can be A or blank, IDLV-45x-48 where x can be A or blank, IDPV-25x-48 where x can be A or blank, IDPV-45x-12 where x can be A or blank, IDPV-45x-24 where x can be A or blank, IDPV-45x-36 where x can be A or blank, IDPV-45x-48 where x can be A or blank, LCM-25X where X may be blank or DA, LDC-35x where x may be blank, B or DA., LDC-55x where x may be blank, B or DA., LPF-60-24LU, LPF-60-30LU, LPF-90X-15 where X can be D or blank, LPF-90X-20 where X can be D or blank, LPF-90X-24 where X can be D or blank, LPF-90X-30 where X can be D or blank, LPF-90X-36 where X can be D or blank, LPF-90X-42 where X can be D or blank, LPF-90X-48 where X can be D or blank, LPF-90X-54 where X can be D or blank, LPFH-60-12, LPFH-60-15, LPFH-60-24, LPFH-60-36, LPFH-60-42, LPFH-60-48, LPFH-60-54, LPFH-60D-12, LPFH-60D-15, LPFH-60D-36, LPFH-60D-42, LPFH-60D-48, LPFH-60D-54, LPV-100-12, LPV-100-15, LPV-100-24, LPV-100-36, LPV-100-48, LPV-100-5, LPVL-150-12, LPVL-150-24, LVF-40-36LP, NPF-90D-54VA12, NPF-90D-54VA15, NPF-90D-54VA16, NPF-90X-12 Where X may be blank or D, NPF-90X-15 Where X may be blank or D., NPF-90X-20, where X may be blank or D, NPF-90X-24, where X may be blank or D, NPF-90X-30, where X may be blank or D, NPF-90X-36, where X may be blank or D, NPF-90X-42, where X may be blank or D, NPF-90X-48, where X may be blank or D, NPF-90X-54, where X may be blank or D, ODLV-45-48 where x can be A or blank, ODLV-45x-12 where x can be A or blank, ODLV-45x-24 where x can be A or blank, ODLV-45x-36 where x can be A or blank, PCD-16-350z, where z may be A or B, PCD-25-500AZT, PLD-16-350z, where z may be A or B, PLD-25-y, where y can be 1050 or 1400, PLD-25-y, where y can be 350 or 700, PLM-25-1050, PLM-25-350, PLM-25-500, PLM-25-700, PLN-100-12, PLN-100-15, PLN-100-20, PLN-100-24, PLN-100-27, PLN-100-36, PLN-100-48, PLN-20-12, PLN-20-18, PLN-20-24, PLN-20-36, PLN-20-48, PLN-45-12, PLN-45-12TE, PLN-45-15, PLN-45-20, PLN-45-24, PLN-45-27, PLN-45-36, PLN-45-48, PLN-60-12, PLN-60-12TE, PLN-60-15, PLN-60-20, PLN-60-24, PLN-60-27, PLN-60-36, PLN-60-48, PLP-20-12, PLP-20-18, PLP-20-24, PLP-20-36, PLP-20-48, PWM-120-12, PWM-120-12DA2, PWM-120-24, PWM-120-24DA2, PWM-120-36, PWM-120-48, PWM-90-12, PWM-90-24, PWM-90-24DA2, PWM-90-36, PWM-90-48, PWM-90-48DA2, SLD-50-12, SLD-50-24, SLD-50-56, SLD-80-12, SLD-80-24, SLD-80-56, XLG-150-12-Y Y= Blank, A or AB, XLG-150-24-Y Y= Blank, A or AB, XLG-150-H-Y Y= Blank, A or AB, XLG-150-L-Y Y= Blank, A or AB, XLG-150-M-Y Y= Blank, A or AB, XLG-200-12-Y where Y is Blank, A or AB, XLG-200-24-Y where Y is Blank, A or AB, XLG-200-H-Y where Y is Blank, A or AB, XLG-200-L-Y where Y is Blank, A or AB, XLG-240-12-Y Y may be Blank, A or AB, XLG-240-24-Y Y may be Blank, A or AB, XLG-240-H-Y Y may be Blank, A or AB, XLG-240-L-Y Y may be Blank, A or AB, XLG-240-M-Y Y may be Blank, A or AB, XLG-25-Y where Y may be A or AB., XLG-50-Y where Y may be A or AB.

Model(s): APV-y-z , where y may be 12 or 16 and z can be 5, 12, 15 or 24

Model(s): APx-y-z Where x may be V or C, y may be 25 or 35 and z may be 5, 12, 15, 24, 36, 500, 700 or 1050.

Model(s): ELG-100-C1050Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-100-C1400Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-100-C350Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-100-C500Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-100-C700Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-150-36y, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELG-150-42y, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELG-150-48y, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELG-150-54y, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELG-150-C1050Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only

Model(s): ELG-150-C1400Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only

Model(s): ELG-150-C1750y, where x can be 1750 or 2100, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2 and where z can be 12, 36, 42, 48 or 54.

Model(s): ELG-150-C2100y, where x can be 1750 or 2100, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2 and where z can be 12, 36, 42, 48 or 54.

Model(s): ELG-150-C500Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only

Model(s): ELG-150-C700Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only

Model(s): ELG-150-zy, where z can be 24 and y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELGC-300-H-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2

Model(s): ELGC-300-L-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2

Model(s): ELGC-300-M-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2

Model(s): HBG-100-60Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-100P-36y, Y=A or B Where Y may be A, DA or B.

Model(s): HBG-100P-48y, Y=A or B Where Y may be A, DA or B

Model(s): HBG-100P-60Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-100P-60y, Y=A or B Where Y may be A, DA or B

Model(s): HBG-160-24Y where Y may be A, B, AB, E DA or blank

Model(s): HBG-160-36Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-160-48Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-160-60Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-160P-36Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA

Model(s): HBG-160P-48Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA

Model(s): HBG-160P-60Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA

Model(s): HBG-200-36Y where Y may be A, B, AB, E DA or blank

Model(s): HBG-200-48Y where Y may be A, B, AB, E DA or blank

Model(s): HBG-200-60Y where Y may be A, B, AB, E DA or blank

Model(s): HBG-240P-xy where X may be 24, 36, 48 or 60 and Y may be A, B, AB, DA or blank.

Model(s): HBG-240-XY where X may be 24, 36, 48 or 60 and Y may be A, B, AB, DA or blank.

Model(s): HBG-240-XY and HBG-240P-xy, Where X may be 24, 36, 48 or 60 and Y may be A, B, AB or blank.

Model(s): HBGC-300-H-Y Y may be blank or A, B, AB, DA or ADA

Model(s): HBGC-300-L-Y Y may be blank or A, B, AB, DA or ADA

Model(s): HBGC-300-M-Y Y may be blank or A, B, AB, DA or ADA

Model(s): HLG-240H-12AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-15AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-20AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-24AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-30AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-36AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-42AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-48AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-54AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-320H-12AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-12Z where Z = A, B, C, D or blank

Model(s): HLG-320H-15AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-15Z where Z = A, B, C, D or blank

Model(s): HLG-320H-20AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-20Z where Z = A, B, C, D or blank

Model(s): HLG-320H-24AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-24Z where Z = A, B, C, D or blank

Model(s): HLG-320H-30AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-30Z where Z = A, B, C, D or blank

Model(s): HLG-320H-36AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-36Z where Z = A, B, C, D or blank

Model(s): HLG-320H-42AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-42Z where Z = A, B, C, D or blank

Model(s): HLG-320H-48AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-48BTE where Z = A, B, C, D or blank

Model(s): HLG-320H-48Z where Z = A, B, C, D or blank

Model(s): HLG-320H-54AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-54Z where Z = A, B, C, D or blank

Model(s): HLG-320H-C1050y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C1400y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C1750y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C2100y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C2800y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C3500y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C700y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-YZ, where Y = 12, 15, 20, 24, 30, 36, 42, 48 or 54 and Z = A, B, C, D or blank

Model(s): HLG-40H-12Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-15Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-20Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-24Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-30Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-36Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-42Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-48Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-54Z Z can be A, B, D, AB or blank

Model(s): HLG-480H-C1400z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-C1750z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-C2100z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-C2800z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-C3500z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-Cyz Where y may be 1400, 1750, 2100, 2800 or 3500. z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-600H-12Y where Y can be blank, A, B or AB

Model(s): HLG-600H-15Y where Y can be blank, A, B or AB

Model(s): HLG-600H-20Y where Y can be blank, A, B or AB

Model(s): HLG-600H-24Y where Y can be blank, A, B or AB

Model(s): HLG-600H-30Y where Y can be blank, A, B or AB

Model(s): HLG-600H-36Y where Y can be blank, A, B or AB

Model(s): HLG-600H-42Y where Y can be blank, A, B or AB

Model(s): HLG-600H-48Y where Y can be blank, A, B or AB

Model(s): HLG-600H-54BSP3 where Y can be blank, A, B or AB

Model(s): HLG-600H-54Y where Y can be blank, A, B or AB

Model(s): HLG-60H-12Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-15Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-20Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-24Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-30Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-36Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-42Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-48Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-54Z Z can be A, B, D, AB or blank

Model(s): HLG-80H-12Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-15Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-20Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-24Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-30Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-36Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-42Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-48Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-54Z where Z can be A, B, D, AB or blank

Model(s): HLN-80H-YZ Where Y can be 12, 15, 20, 24, 30, 36, 42, 45, 54 and z can be A, B or AB

Model(s): HVG-100-15AB-CZZZZ CZZZZ=0 to 5000, or blank

Model(s): HVG-100-15A-CZZZZ CZZZZ=0 to 5000, or blank

Model(s): HVG-100-15B-CZZZZ CZZZZ=0 to 5000, or blank

Model(s): HVG-100-15D-CZZZZ CZZZZ=0 to 5000, or blank

Model(s): HVG-100-20AB-CZZZZ CZZZZ=0 to 4800, or blank

Model(s): HVG-100-20A-CZZZZ CZZZZ=0 to 4800, or blank

Model(s): HVG-100-20B-CZZZZ CZZZZ=0 to 4800, or blank

Model(s): HVG-100-20D-CZZZZ CZZZZ=0 to 4800, or blank

Model(s): HVG-100-24AB-CZZZZ CZZZZ=0 to 4000, or blank

Model(s): HVG-100-24A-CZZZZ CZZZZ=0 to 4000, or blank

Model(s): HVG-100-24B-CZZZZ CZZZZ=0 to 4000, or blank

Model(s): HVG-100-24D-CZZZZ CZZZZ=0 to 4000, or blank

Model(s): HVG-100-30AB-CZZZZ CZZZZ=0 to 3200, or blank

Model(s): HVG-100-30A-CZZZZ CZZZZ=0 to 3200, or blank

Model(s): HVG-100-30B-CZZZZ CZZZZ=0 to 3200, or blank

Model(s): HVG-100-30D-CZZZZ CZZZZ=0 to 3200, or blank

Model(s): HVG-100-36AB-CZZZZ CZZZZ=0 to 2650, or blank

Model(s): HVG-100-36A-CZZZZ CZZZZ=0 to 2650, or blank

Model(s): HVG-100-36B-CZZZZ CZZZZ=0 to 2650, or blank

Model(s): HVG-100-36D-CZZZZ CZZZZ=0 to 2650, or blank

Model(s): HVG-100-42AB-CZZZZ CZZZZ=0 to 2280, or blank

Model(s): HVG-100-42A-CZZZZ CZZZZ=0 to 2280, or blank

Model(s): HVG-100-42B-CZZZZ CZZZZ=0 to 2280, or blank

Model(s): HVG-100-42D-CZZZZ CZZZZ=0 to 2280, or blank

Model(s): HVG-100-48AB-CZZZZ CZZZZ=0 to 2000, or blank

Model(s): HVG-100-48A-CZZZZ CZZZZ=0 to 2000, or blank

Model(s): HVG-100-48B-CZZZZ CZZZZ=0 to 2000, or blank

Model(s): HVG-100-48D-CZZZZ CZZZZ=0 to 2000, or blank

Model(s): HVG-100-54AB-CZZZZ CZZZZ=0 to 1770, or blank

Model(s): HVG-100-54A-CZZZZ CZZZZ=0 to 1770, or blank

Model(s): HVG-100-54B-CZZZZ CZZZZ=0 to 1770, or blank

Model(s): HVG-100-54D-CZZZZ CZZZZ=0 to 1770, or blank

Model(s): HVG-240-24y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-30y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-36y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-42y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-48y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-54y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-24y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-30y, y may be blank, A, B, D, AB, or D2

Model(s): HVG-320-36y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-42y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-48y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-54y, y may be blank, A, B, D, AB or D2

Model(s): HVG-480-24Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-30Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-36Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-42Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-48Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-54Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-65-YX-CZZZZ where X may be A, B, D or AB, Y may be 12, 15, 20, 24, 30, 36, 42, 48 and 54, and CZZZZ is optional, when provided, the ZZZZ may be substituted with a four-digit number that is between 0000 and the maximum number as follows. When Y is 12, 15, 20, 24, 30, 36, 42, 48 or 54, the corresponding maximum value for "ZZZZ" is 5000, 4300, 3250, 2710, 2170, 1810, 1550, 1360 or 1210

Model(s): HVGC-1000A-H-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000A-L-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000A-M-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000-H-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000-L-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000-M-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-100-XY where X may be 350 or 700 and Y can be A, B or D or AB

Model(s): HVGC-240-1050y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-1400y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-1750y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-2100y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-2800y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-3500y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-700y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-1050y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-1400y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-1750y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-2100y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-2800y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-3500y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-700y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-480-H-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related

Model(s): HVGC-480-L-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related

Model(s): HVGC-480-M-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related.

Model(s): HVGC-650A-H-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650A-L-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650A-M-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650A-U-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-H-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-L-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-M-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-U-AB-HSP Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-U-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-65-XY where X may be 350, 500, 700, 1050. Y can be A, B, AB or D

Model(s): IDLV-25(A)-60 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

Model(s): IDLV-25x-12 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDLV-25x-24 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDLV-25x-36 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDLV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDLV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDPV-25(A)-60 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

Model(s): IDPV-25x-12 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDPV-25x-24 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDPV-25x-36 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDPV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): LCM-40Y where Y may be blank, DA, U or UDA

Model(s): LCM-60Y where Y may be blank, DA, U or UDA

Model(s): LDC-80x where x may be blank, B or DA, no safety related.

Model(s): LPF-16-12 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-12P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-15 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-15P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-20 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-20P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-24 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-24P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-30 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-30P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-36 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-36P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-42 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-42P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-48 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-48P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-54 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-54P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-12 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-12P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-15 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-15P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-20 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-20P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-24 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-24P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-30 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-30P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-36 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-36P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-42 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-42P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-48 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-48P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-54 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-54P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-12 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-15 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-20 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-24 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-30 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-36 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-42 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-48 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-54 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-12 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-15 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-20 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-24 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-30 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-36 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-42 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-48 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-54 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPFH-60D-24 , where x can be D or blank, where y can be 12, 15, 24, 36, 42, 48 or 54.

Model(s): LPF-XY-ZQ where X may be 40 or 60, Y may be blank or D. Q may be blank or LU. and Z may be 12, 15, 20, 24, 30, 36, and 42, 48 and 54.

Model(s): LPF-xy-zw where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPV-150-Y Series , where Y can be 12, 15, 24, 36 or 48 for output voltage.

Model(s): NPF-120X-12W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-15W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-20W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-24W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-30W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-36W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-42W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-48W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-54W X may be blank or D, and W may be blank or BE

Model(s): NPF-200-12 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-24 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-36 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-42 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-48 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-54 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-12 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-24 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-36 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-42 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-48 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-54 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-40-12 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-15 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-20 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-24 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-30 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-36 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-42 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-48 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-54 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-12 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-15 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-20 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-24 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-30 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-36 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-42 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-48 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-54 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-12 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-15 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-20 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-24 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-30 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-36 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-42 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-48 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-54 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-12 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-15 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-20 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-24 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-30 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-36 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-42 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-48 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-54 X may be blank or D, and W may be blank or BE

Model(s): NPF-90X-54VA12, where X may be blank or D

Model(s): NPF-90X-54VA15, where X may be blank or D

Model(s): NPF-90X-54VA16, where X may be blank or D

Model(s): ODLV-65x-y, where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): PCD-16-YZ where y can be 350, 700, 1050, 1400 and z may be A or B

Model(s): PCD-25-yz where y can be 350, 700, 1050, 1400 and z may be A or B

Model(s): PCD-25-yz, where y can be 1050, 1400 and z may be A or B.

Model(s): PLD-16-yz where y can be 350, 700, 1050, 1400 and z may be A or B

Model(s): PLD-16-yz, where y can be 700, 1050, 1400 and z may be A or B.

Model(s): PLD-25-y, where y can be 350, 700, 1050, 1400

Model(s): PLM-12-X, where X may be 350, 500, 700 or 1050.

Model(s): PLM-25-Y, where Y may be 500, 700 or 1050.

Model(s): PLM-40-X, where X may be 1050, 1400 or 1750.

Model(s): PLM-40-X, where X may be 350, 500 or 700.

Model(s): PLP-X-Y, where X can be 30, 45 or 60 and Y can be 12, 24 or 48

Model(s): PWM-200-12 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-12DA2 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-12KN X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-24 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-24DA2 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-24KN X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-36 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-36DA2 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-36KN X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-48 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-48DA2 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-48KN X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-40-12 X may be blank or D, and W may be blank or BE

Model(s): PWM-40-24 X may be blank or D, and W may be blank or BE

Model(s): PWM-40-36 X may be blank or D, and W may be blank or BE

Model(s): PWM-40-48 X may be blank or D, and W may be blank or BE

Model(s): PWM-60-12 X may be blank or D, and W may be blank or BE

Model(s): PWM-60-24 X may be blank or D, and W may be blank or BE

Model(s): PWM-60-36 X may be blank or D, and W may be blank or BE

Model(s): PWM-60-48 X may be blank or D, and W may be blank or BE

Model(s): PWM-90-12DA2 where X may be blank or D, Y may be 12 or 15.

Model(s): XBG-100-X-Y where X may be A or AB and Y may be Blank or C.

Model(s): XBG-160-X-Y where X may be A or AB and Y may be Blank or C.

Model(s): XBG-240-X-Y where X may be A or AB and Y may be Blank or C.

Model(s): XLG-100-12-Y where Y may be Blank, A or AB.

Model(s): XLG-100-24-Y where Y may be Blank, A or AB.

Model(s): XLG-100-H-Y where Y may be Blank, A or AB.

Model(s): XLG-100-X-Y where X may be 12 or L and Y may be Blank, A or AB for marketing purposes.

Model(s): XLG-20-H-Y models: XLG-20-X-Y series, where X may be H, M or L and Y may be Blank or B.

Model(s): XLG-20-L-Y models: XLG-20-X-Y series, where X may be H, M or L and Y may be Blank or B.

Model(s): XLG-20-M-Y models: XLG-20-X-Y series, where X may be H, M or L and Y may be Blank or B.

Model(s): XLG-75-12-Y where Y may be Blank, A or AB.

Model(s): XLG-75-24-Y where Y may be Blank, A or AB.

Model(s): XLG-75-H-Y where Y may be Blank, A or AB.

Model(s): XLG-75-L-Y where Y may be Blank, A or AB.

CEN-60-Y Series, Model(s): CEN-60-12, CEN-60-15, CEN-60-20, CEN-60-24, CEN-60-30, CEN-60-36, CEN-60-42, CEN-60-48, CEN-60-54

CEN-75-Y Series, Model(s): CEN-75-15, CEN-75-20, CEN-75-24, CEN-75-30, CEN-75-36, CEN-75-42, CEN-75-48, CEN-75-54

HLG-100H-YZ Series, Model(s): HLG-100H-20Z Z = blank, A, B or AB., HLG-100H-24Z Z = blank, A, B or AB., HLG-100H-30Z Z = blank, A, B or AB., HLG-100H-36Z Z = blank, A, B or AB., HLG-100H-42Z Z = blank, A, B or AB., HLG-100H-48Z Z = blank, A, B or AB., HLG-100H-54Z Z = blank, A, B or AB.

HLG-100-YZ Series, Model(s): HLG-100-20Z Z = blank, A or B., HLG-100-24Z Z = blank, A or B., HLG-100-30Z Z = blank, A or B., HLG-100-36Z Z = blank, A or B., HLG-100-42Z Z = blank, A or B., HLG-100-48Z Z = blank, A or B., HLG-100-54Z Z = blank, A or B.

HLG-120H-CXY Series, Model(s): HLG-120H-CXY, where X may be 350, 500, 700, 1050 or 1400 and Y can be A, B, AB or D

HLG-120H-XZ Series, Model(s): HLG-120H-12Z Z = blank, A, B or AB., HLG-120H-15Z Z = blank, A, B or AB., HLG-120H-20Z Z = blank, A, B or AB., HLG-120H-24Z Z = blank, A, B or AB., HLG-120H-30Z Z = blank, A, B or AB., HLG-120H-36Z Z = blank, A, B or AB., HLG-120H-42Z Z = blank, A, B or AB., HLG-120H-48Z Z = blank, A, B or AB., HLG-120H-54Z Z = blank, A, B or AB.

HLG-120-XZ Series, Model(s): HLG-120-12Z Z = blank, A or B., HLG-120-15Z Z = blank, A or B., HLG-120-20Z Z = blank, A or B., HLG-120-24Z Z = blank, A or B., HLG-120-30Z Z = blank, A or B., HLG-120-36Z Z = blank, A or B., HLG-120-42Z Z = blank, A or B., HLG-120-48Z Z = blank, A or B., HLG-120-54Z Z = blank, A or B.

HLG-150H-YZ Series, Model(s): HLG-150H-12Z Z = blank, A, B or AB, HLG-150H-15Z Z = blank, A, B or AB, HLG-150H-20Z Z = blank, A, B or AB, HLG-150H-24Z Z = blank, A, B or AB, HLG-150H-30Z Z = blank, A, B or AB, HLG-150H-36Z Z = blank, A, B or AB, HLG-150H-42Z Z = blank, A, B or AB, HLG-150H-48Z Z = blank, A, B or AB, HLG-150H-54Z Z = blank, A, B or AB

HLG-150-YZ Series, Model(s): HLG-150-12Z Z = blank, A or B, HLG-150-15Z Z = blank, A or B, HLG-150-20Z Z = blank, A or B, HLG-150-24Z Z = blank, A, B or AB, HLG-150-30Z Z = blank, A or B, HLG-150-36Z Z = blank, A or B, HLG-150-42Z Z = blank, A or B, HLG-150-48Z Z = blank, A or B, HLG-150-54Z Z = blank, A or B

HLG-185H-CXY Series, Model(s): HLG-185H-CXY, where X may be 500, 700, 1050 or 1400 and Y can be A, B, AB or D.

HLG-185H-YZ Series, Model(s): HLG-185H-12Z Z = blank, A, B or AB, HLG-185H-15Z Z = blank, A, B or AB, HLG-185H-20Z Z = blank, A, B or AB, HLG-185H-24Z Z = blank, A, B or AB, HLG-185H-30Z Z = blank, A, B or AB, HLG-185H-36Z Z = blank, A, B or AB, HLG-185H-42Z Z = blank, A, B or AB, HLG-185H-48Z Z = blank, A, B or AB, HLG-185H-54Z Z = blank, A, B or AB

HLG-185-YZ Series, Model(s): HLG-185-12Z Z = blank, A or B, HLG-185-15Z Z = blank, A or B, HLG-185-20Z Z = blank, A or B, HLG-185-24Z Z = blank, A or B, HLG-185-30Z Z = blank, A or B, HLG-185-36Z Z = blank, A or B, HLG-185-42Z Z = blank, A or B, HLG-185-48Z Z = blank, A or B, HLG-185-54Z Z = blank, A or B

HLG-480H-xy, Model(s): HLG-480H-24y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-30y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-36y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-42y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-48y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-54y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-30y, Model(s): HLGP-480H-30y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-24y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-36y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-42y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-48y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-54y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

IDLC-25x-y, Model(s): IDLC-25x-1050 x may be blank or A., IDLC-25x-350 x may be blank or A., IDLC-25x-500 x may be blank or A., IDLC-25x-700 x may be blank or A.

IDLC-45, Model(s): IDLC-45X-1050 x may be blank or A, IDLC-45X-1400 x may be blank or A, IDLC-45x-350 x may be blank or A, IDLC-45x-500 x may be blank or A, IDLC-45X-700 x may be blank or A

IDLC-45, Model(s): IDLC-45x-1050z x may be blank or A, z may be blank or DA

IDLC-45, Model(s): IDLC-45x-1400z x may be blank or A, z may be blank or DA

IDLC-45, Model(s): IDLC-45x-350z x may be blank or A, z may be blank or DA

IDLC-45, Model(s): IDLC-45x-500z x may be blank or A, z may be blank or DA

IDLC-45, Model(s): IDLC-45x-700z x may be blank or A, z may be blank or DA

IDLC-65, Model(s): IDLC-65x-1050z x may be blank or A, z may be blank or DA

IDLC-65, Model(s): IDLC-65X-1400z x may be blank or A, z may be blank or DA

IDLC-65, Model(s): IDLC-65X-1750z x may be blank or A, z may be blank or DA

IDLC-65, Model(s): IDLC-65x-700z x may be blank or A, z may be blank or DA

IDLV-45, Model(s): IDLV-45x-60 x may be blank or A

IDPC-25x-y, Model(s): IDPC-25(A)-1050 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

IDPC-25x-y, Model(s): IDPC-25(A)-350 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

IDPC-25x-y, Model(s): IDPC-25(A)-500 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

IDPC-25x-y, Model(s): IDPC-25(A)-700 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

IDPC-45, Model(s): IDPC-45X-1050 x may be blank or A, IDPC-45X-1400 x may be blank or A, IDPC-45X-700 x may be blank or A

IDPC-45, Model(s): IDPC-45x-1050z x may be blank or A, z may be blank or DA

IDPC-45, Model(s): IDPC-45x-1400z x may be blank or A, z may be blank or DA

IDPC-45, Model(s): IDPC-45x-350z x may be blank or A, z may be blank or DA

IDPC-45, Model(s): IDPC-45x-500z x may be blank or A, z may be blank or DA

IDPC-45, Model(s): IDPC-45x-700z x may be blank or A, z may be blank or DA

IDPC-65, Model(s): IDPC-65X-1050z x may be blank or A, z may be blank or DA

IDPC-65, Model(s): IDPC-65X-1400z x may be blank or A, z may be blank or DA

IDPC-65, Model(s): IDPC-65X-1750z x may be blank or A, z may be blank or DA

IDPC-65, Model(s): IDPC-65X-700z x may be blank or A, z may be blank or DA

IDPV-45, Model(s): IDPV-45x-60 x may be blank or A

NPF/PWM-XY-Z Series, Model(s): NPF/PWM-XY-Z where X can be 40 or 60 and where Y can be blank or D and where Z can be 12, 12DA2, 15, 20, 24, 24DA2, 30, 36, 42, 48 or 54.

ODLC-45, Model(s): ODLC-45X-1050 x may be blank or A, ODLC-45X-1400 x may be blank or A, ODLC-45X-350 x may be blank or A, ODLC-45X-500 x may be blank or A, ODLC-45X-700 x may be blank or A

ODLC-45, Model(s): ODLC-45x-1050z x may be blank or A, z may be blank or DA

ODLC-45, Model(s): ODLC-45x-1400z x may be blank or A, z may be blank or DA

ODLC-45, Model(s): ODLC-45x-350z x may be blank or A, z may be blank or DA

ODLC-45, Model(s): ODLC-45x-500z x may be blank or A, z may be blank or DA

ODLC-45, Model(s): ODLC-45x-700z x may be blank or A, z may be blank or DA

ODLC-65, Model(s): ODLC-65X-1050z x may be blank or A, z may be blank or DA

ODLC-65, Model(s): ODLC-65X-1400z x may be blank or A, z may be blank or DA

ODLC-65, Model(s): ODLC-65X-1750z x may be blank or A, z may be blank or DA

ODLC-65, Model(s): ODLC-65X-700z x may be blank or A, z may be blank or DA

ODLV-45, Model(s): ODLV-45x-60 x may be blank or A

XLG-320, Model(s): XLG-320-H-Y X may be V, H, M or L and Y may be A or AB.

XLG-320, Model(s): XLG-320-L-Y X may be V, H, M or L and Y may be A or AB.

XLG-320, Model(s): XLG-320-M-Y X may be V, H, M or L and Y may be A or AB.

XLG-320, Model(s): XLG-320-V-A X may be V, H, M or L and Y may be A or AB.

(%) - Where Z can be blank, A, B or AB.

(%)

(a) - Where X may be 24, 36, 48 or 54 and Y may be A, B, AB, E or blank.

(a)

(a) - Where X may be 24, 36, 48 or 54 and Y may be A, B, AB, E, DA or blank.

(b) - X may be 350, 500, 700, 1050 or 1400. Y may be blank, A, B, D, AB, AD2, ADA, D2 or DA for marketing purposes only.

(b)

* - Where Z can be blank, A or B.

*

* - HLG-100H-54

+ - Where Z can be blank, A, B or C.

+

Last Updated on 2022-05-28

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"

FKSZ8.E334687 - Light-emitting-diode Drivers Certified for Canada - Component


Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Light-emitting-diode Drivers Certified for Canada - Component

MEAN WELL ENTERPRISES CO LTD

E334687

No 28 Wuquan 3rd Rd
Wugu District
New Taipei City, 24891 Taiwan

Marking: Company name model designation, and the Recognized Component Mark for Canada 

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): [APC-12-350](#), [APC-12-700](#), [APC-16-350](#), [APC-16-350RA1](#), [APC-16-700](#), [APC-8-250](#), [APC-8-350](#), [APC-8-500](#), [APC-8-700](#), [APV-8-12](#), [APV-8-24](#), [APV-8-5](#), [CEN-100-20](#), [CEN-100-24](#), [CEN-100-30](#), [CEN-100-36](#), [CEN-100-42](#), [CLG-100-12](#), [CLG-100-15](#), [CLG-100-20](#), [CLG-100-24](#), [CLG-100-27](#), [CLG-100-36](#), [CLG-150-12](#), [CLG-150-12A](#), [CLG-150-12B](#), [CLG-150-12C](#), [CLG-150-15](#), [CLG-150-15A](#), [CLG-150-15B](#), [CLG-150-15C](#), [CLG-150-20](#), [CLG-150-20A](#), [CLG-150-20B](#), [CLG-150-20C](#), [CLG-150-24](#), [CLG-150-24A](#), [CLG-150-24B](#), [CLG-150-24C](#), [CLG-150-30](#), [CLG-150-30A](#), [CLG-150-30B](#), [CLG-150-30C](#), [CLG-150-36](#), [CLG-150-36A](#), [CLG-150-36B](#), [CLG-150-36C](#), [CLG-150-48](#), [CLG-150-48A](#), [CLG-150-48B](#), [CLG-150-48C](#), [CLG-60-12](#), [CLG-60-15](#), [CLG-60-20](#), [CLG-60-24](#), [CLG-60-27](#), [CLG-60-36](#), [CLN-100-12](#), [CLN-100-15](#), [CLN-100-20](#), [CLN-100-24](#), [CLN-100-27](#), [CLN-100-36](#), [CLN-60-12](#), [CLN-60-15](#), [CLN-60-20](#), [CLN-60-24](#), [CLN-60-27](#), [CLN-60-36](#), [ELG-100-24Y](#), [ELG-100-36Y](#), [ELG-100-42Y](#), [ELG-100-48Y](#), [ELG-100-54Y](#), [ELG-150-12y](#), [ELG-150-15CL](#), [ELG-200-12y](#), [ELG-200-24y](#), [ELG-200-36y](#), [ELG-200-42y](#), [ELG-200-48y](#), [ELG-200-54y](#), [ELG-200-C1050y](#), [ELG-200-C1400y](#), [ELG-200-C1750y](#), [ELG-200-C2100y](#), [ELG-200-C700y](#), [ELG-240-24y](#), [ELG-240-36y](#), [ELG-240-42y](#), [ELG-240-48y](#), [ELG-240-54y](#), [ELG-240-C1050y](#), [ELG-240-C1400y](#), [ELG-240-C1750y](#), [ELG-240-C2100y](#), [ELG-240-C700y](#), [ELG-300-24Y](#) Y may be blank or A, [ELG-75-12y](#), [ELG-75-24y](#), [ELG-75-36y](#), [ELG-75-42y](#), [ELG-75-48y](#), [ELG-75-C1050y](#), [ELG-75-C1400y](#), [ELG-75-C350y](#), [ELG-75-C500y](#), [ELG-75-C700y](#), [HBG-100-XP \(a\)](#), [HBG-100-XY \(a\)](#), [HBG-240P-36y](#), Y=A or B, [HBG-240P-48y](#), Y=A or B, [HBG-240P-60y](#), Y=A or B, [HLG-150H-12Z\(%\)](#), [HLG-240-12Z+](#), [HLG-240-15Z+](#), [HLG-240-20Z+](#), [HLG-240-24Z+](#), [HLG-240-30Z+](#), [HLG-240-36Z+](#), [HLG-240-42Z+](#), [HLG-240-48Z+](#), [HLG-240-54Z+](#), [HLG-240H-12Z+](#), [HLG-240H-15Z+](#), [HLG-240H-20Z+](#), [HLG-240H-24Z+](#), [HLG-240H-30Z+](#), [HLG-240H-42Z+](#), [HLG-240H-48Z+](#), [HLG-240H-54Z+](#), [HLG-240H-C1050](#), [HLG-240H-C1050A](#), [HLG-240H-C1050AB](#), [HLG-240H-C1050ACRE](#), [HLG-240H-C1050AD2](#), [HLG-240H-C1050B](#), [HLG-240H-C1050D](#), [HLG-240H-C1050D2](#), [HLG-240H-C1400](#), [HLG-240H-C1400A](#), [HLG-240H-C1400AB](#), [HLG-240H-C1400AD2](#), [HLG-240H-C1400B](#), [HLG-240H-C1400D](#), [HLG-240H-C1400D2](#), [HLG-240H-C1750](#), [HLG-240H-C1750A](#), [HLG-240H-C1750AB](#), [HLG-240H-C1750B](#), [HLG-240H-C1750D](#), [HLG-240H-C1750D2](#), [HLG-240H-C2100](#), [HLG-240H-C2100A](#), [HLG-240H-C2100AB](#), [HLG-240H-C2100AD2](#), [HLG-240H-C2100B](#), [HLG-240H-C2100D](#), [HLG-240H-C2100D2](#), [HLG-240H-C700](#), [HLG-240H-C700A](#), [HLG-240H-C700AB](#), [HLG-240H-C700AD2](#), [HLG-240H-C700B](#), [HLG-240H-C700D](#), [HLG-240H-C700D2](#), [HLG-320H-57A](#), [HLG-600H-C5200AB](#), [HLG-60H-CXY](#), [HLG-80H-C350A](#), [HLG-80H-C350AB](#), [HLG-80H-C350B](#), [HLG-80H-C350D](#), [HLG-80H-C700A](#), [HLG-80H-C700AB](#), [HLG-80H-C700B](#), [HLG-80H-C700D](#), [HLN-40H-12Z](#) Z can be A, B or AB, [HLN-40H-15Z](#) Z can be A, B or AB, [HLN-40H-20Z](#) Z can be A, B or AB, [HLN-40H-24Z](#) Z can be A, B or AB, [HLN-40H-30Z](#) Z can be A, B or AB, [HLN-40H-36Z](#) Z can be A, B or AB, [HLN-40H-42Z](#) Z can be A, B or AB, [HLN-40H-48Z](#) Z can be A, B or AB, [HLN-40H-54Z](#) Z can be A, B or AB, [HLN-60H-12Z](#) Z can be A, B or AB, [HLN-60H-15Z](#) Z can be A, B or AB, [HLN-60H-20Z](#) Z can be A, B or AB, [HLN-60H-24Z](#) Z can be A, B or AB, [HLN-60H-30Z](#) Z can be A, B or AB, [HLN-60H-36Z](#) Z can be A, B or AB, [HLN-60H-42Z](#) Z can be A, B or AB, [HLN-60H-48Z](#) Z can be A, B or AB, [HLN-60H-54Z](#) Z can be A, B or AB, [HLP-40H-12](#), [HLP-40H-15](#), [HLP-40H-20](#), [HLP-40H-24](#), [HLP-40H-30](#), [HLP-40H-36](#), [HLP-40H-42](#), [HLP-40H-48](#), [HLP-40H-54](#), [HLP-60H-12](#), [HLP-60H-15](#), [HLP-60H-20](#), [HLP-60H-24](#), [HLP-60H-30](#), [HLP-60H-36](#), [HLP-60H-42](#), [HLP-60H-48](#), [HLP-60H-54](#), [HLP-80H-12](#), [HLP-80H-15](#), [HLP-80H-20](#), [HLP-80H-24](#), [HLP-80H-30](#), [HLP-80H-36](#), [HLP-80H-42](#), [HLP-80H-48](#), [HLP-80H-54](#), [HVG-150-12Y](#) Y may be A, B, D or AB, [HVG-150-15Y](#) Y may be A, B, D or AB, [HVG-150-20Y](#) Y may be A, B, D or AB, [HVG-150-24Y](#) Y may be A, B, D or AB, [HVG-150-30Y](#) Y may be A, B, D or AB, [HVG-150-36Y](#) Y may be A, B, D or AB, [HVG-150-42Y](#) Y may be A, B, D or AB, [HVG-150-48Y](#) Y may be A, B, D or AB, [HVG-150-54Y](#) Y may be A, B, D or AB, [HVG-150-1050Y](#) Y may be A,

B, D or AB, HVGC-150-1400Y Y may be A, B, D or AB, HVGC-150-350Y Y may be A, B, D or AB, HVGC-150-500Y Y may be A, B, D or AB, HVGC-150-700Y Y may be A, B, D or AB, HVGC-650A-U-AB-HSP, HVGC-650A-U-AB-HSP1, IDLV-45x-12 where x can be A or blank, IDLV-45x-24 where x can be A or blank, IDLV-45x-36 where x can be A or blank, IDLV-45x-48 where x can be A or blank, IDPV-25x-48 where x can be A or blank., IDPV-45x-12 where x can be A or blank, IDPV-45x-24 where x can be A or blank, IDPV-45x-36 where x can be A or blank, IDPV-45x-48 where x can be A or blank, LCM-25X where X may be blank or DA, LDC-35x where x may be blank, B or DA., LDC-55x where x may be blank, B or DA., LPF-60-24LU, LPF-60-30LU, LPFH-60-12, LPFH-60-15, LPFH-60-24, LPFH-60-36, LPFH-60-42, LPFH-60-48, LPFH-60-54, LPFH-60D-12, LPFH-60D-15, LPFH-60D-36, LPFH-60D-42, LPFH-60D-48, LPFH-60D-54, LPV-100-12, LPV-100-15, LPV-100-24, LPV-100-36, LPV-100-48, LPV-100-5, LPVL-150-12, LPVL-150-24, LVF-40-36LP, NPF-90D-54VA12, NPF-90D-54VA15, NPF-90D-54VA16, NPF-90X-12 Where X may be blank or D., NPF-90X-15 Where X may be blank or D., NPF-90X-20, where X may be blank or D, NPF-90X-24, where X may be blank or D, NPF-90X-30, where X may be blank or D, NPF-90X-36, where X may be blank or D, NPF-90X-42, where X may be blank or D, NPF-90X-48, where X may be blank or D, NPF-90X-54, where X may be blank or D, ODLV-45-48 where x can be A or blank, ODLV-45x-12 where x can be A or blank, ODLV-45x-24 where x can be A or blank, ODLV-45x-36 where x can be A or blank, PLD-25-y, where y can be 1050 or 1400, PLM-25-1050, PLM-25-350, PLM-25-500, PLM-25-700, PLN-100-12, PLN-100-15, PLN-100-20, PLN-100-24, PLN-100-27, PLN-100-36, PLN-20-12, PLN-20-18, PLN-20-24, PLN-20-36, PLN-20-48, PLN-45-12, PLN-45-12TE, PLN-45-15, PLN-45-20, PLN-45-24, PLN-45-27, PLN-45-36, PLN-60-12, PLN-60-12TE, PLN-60-15, PLN-60-20, PLN-60-24, PLN-60-27, PLN-60-36, PLP-20-12, PLP-20-18, PLP-20-24, PLP-20-36, PLP-20-48, PWM-120-12, PWM-120-12DA2, PWM-120-24, PWM-120-24DA2, PWM-120-36, PWM-120-48, PWM-90-12, PWM-90-24, PWM-90-24DA2, PWM-90-36, PWM-90-48, PWM-90-48DA2, SLD-50-12, SLD-50-24, SLD-50-56, SLD-80-12, SLD-80-24, SLD-80-56, XLG-150-12-Y Y= Blank, A or AB, XLG-150-24-Y Y= Blank, A or AB, XLG-150-H-Y Y= Blank, A or AB, XLG-150-L-Y Y= Blank, A or AB, XLG-150-M-Y Y= Blank, A or AB, XLG-200-12-Y where Y is Blank, A or AB, XLG-200-24-Y where Y is Blank, A or AB, XLG-200-H-Y where Y is Blank, A or AB, XLG-200-L-Y where Y is Blank, A or AB, XLG-240-12-Y Y may be Blank, A or AB, XLG-240-24-Y Y may be Blank, A or AB, XLG-240-H-Y Y may be Blank, A or AB, XLG-240-L-Y Y may be Blank, A or AB, XLG-240-M-Y Y may be Blank, A or AB, XLG-25-Y where Y may be A or AB., XLG-50-Y where Y may be A or AB.

Model(s): APV-y-z, where y may be 12 or 16 and z can be 5, 12, 15 or 24

Model(s): APx-y-z Where x may be V or C, y may be 25 or 35 and z may be 5, 12, 15, 24, 36, 500, 700 or 1050.

Model(s): ELG-100-C1050Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-100-C1400Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-100-C350Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-100-C500Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-100-C700Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA

Model(s): ELG-150-36y, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELG-150-42y, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELG-150-48y, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELG-150-54y, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELG-150-C1050Y Y may be blank, A, B, D, AB, AD2, ADA, D2, BE or DA for marketing purposes only

Model(s): ELG-150-C1400Y Y may be blank, A, B, D, AB, AD2, ADA, D2, BE or DA for marketing purposes only

Model(s): ELG-150-C1750y, where x can be 1750 or 2100, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2 and where z can be 12, 36, 42, 48 or 54.

Model(s): ELG-150-C2100y, where x can be 1750 or 2100, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2 and where z can be 12, 36, 42, 48 or 54.

Model(s): ELG-150-C500Y Y may be blank, A, B, D, AB, AD2, ADA, D2, BE or DA for marketing purposes only

Model(s): ELG-150-C700Y Y may be blank, A, B, D, AB, AD2, ADA, D2, BE or DA for marketing purposes only

Model(s): ELG-150-zy, where z can be 24 and y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2

Model(s): ELGC-300-H-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2

Model(s): ELGC-300-L-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2

Model(s): ELGC-300-M-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2

Model(s): HBG-100-60Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-100P-36y, Y=A or B Where Y may be A, DA or B.

Model(s): HBG-100P-48y, Y=A or B Where Y may be A, DA or B

Model(s): HBG-100P-60Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-100P-60y, Y=A or B Where Y may be A, DA or B

Model(s): HBG-160-24Y where Y may be A, B, AB, E DA or blank

Model(s): HBG-160-36Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-160-48Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-160-60Y where Y may be A, B, AB, E, DA or blank

Model(s): HBG-160P-36Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA

Model(s): HBG-160P-48Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA

Model(s): HBG-160P-60Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA

Model(s): HBG-200-36Y where Y may be A, B, AB, E DA or blank

Model(s): HBG-200-48Y where Y may be A, B, AB, E DA or blank

Model(s): HBG-200-60Y where Y may be A, B, AB, E DA or blank

Model(s): HBG-240P-xy where X may be 24, 36, 48 or 60 and Y may be A, B, AB, DA or blank.

Model(s): HBG-240-XY where X may be 24, 36, 48 or 60 and Y may be A, B, AB, DA or blank.

Model(s): HBG-240-XY and HBG-240P-xy, Where X may be 24, 36, 48 or 60 and Y may be A, B, AB or blank.

Model(s): HBGC-300-H-Y Y may be blank or A, B, AB, DA or ADA

Model(s): HBGC-300-L-Y Y may be blank or A, B, AB, DA or ADA

Model(s): HBGC-300-M-Y Y may be blank or A, B, AB, DA or ADA

Model(s): HLG-240H-12AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-15AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-20AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-24AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-30AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-36AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-42AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-48AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-240H-54AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C

Model(s): HLG-320H-12AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-12Z where Z = A, B, C, D or blank

Model(s): HLG-320H-15AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-15Z where Z = A, B, C, D or blank

Model(s): HLG-320H-20AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-20Z where Z = A, B, C, D or blank

Model(s): HLG-320H-24AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-24Z where Z = A, B, C, D or blank

Model(s): HLG-320H-30AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-30Z where Z = A, B, C, D or blank

Model(s): HLG-320H-36AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-36Z where Z = A, B, C, D or blank

Model(s): HLG-320H-42AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-42Z where Z = A, B, C, D or blank

Model(s): HLG-320H-48AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-48BTE where Z = A, B, C, D or blank

Model(s): HLG-320H-48Z where Z = A, B, C, D or blank

Model(s): HLG-320H-54AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank

Model(s): HLG-320H-54Z where Z = A, B, C, D or blank

Model(s): HLG-320H-C1050y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C1400y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C1750y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C2100y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C2800y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C3500y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-C700y, y may be blank, A, B, D, AB, D2, DA, ADA or AD2

Model(s): HLG-320H-YZ, where Y = 12, 15, 20, 24, 30, 36, 42, 48 or 54 and Z = A, B, C, D or blank

Model(s): HLG-40H-12Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-15Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-20Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-24Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-30Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-36Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-42Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-48Z Z can be A, B, D, AB or blank

Model(s): HLG-40H-54Z Z can be A, B, D, AB or blank

Model(s): HLG-480H-C1400z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-C1750z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-C2100z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-C2800z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-C3500z where - z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-480H-Cyz Where y may be 1400, 1750, 2100, 2800 or 3500. z may be blank, A, B, AB, BLP, D2 or Dx.

Model(s): HLG-600H-12Y where Y can be blank, A, B or AB

Model(s): HLG-600H-15Y where Y can be blank, A, B or AB

Model(s): HLG-600H-20Y where Y can be blank, A, B or AB

Model(s): HLG-600H-24Y where Y can be blank, A, B or AB

Model(s): HLG-600H-30Y where Y can be blank, A, B or AB

Model(s): HLG-600H-36Y where Y can be blank, A, B or AB

Model(s): HLG-600H-42Y where Y can be blank, A, B or AB

Model(s): HLG-600H-48Y where Y can be blank, A, B or AB

Model(s): HLG-600H-54BSP3 where Y can be blank, A, B or AB

Model(s): HLG-600H-54Y where Y can be blank, A, B or AB

Model(s): HLG-60H-12Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-15Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-20Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-24Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-30Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-36Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-42Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-48Z Z can be A, B, D, AB or blank

Model(s): HLG-60H-54Z Z can be A, B, D, AB or blank

Model(s): HLG-80H-12Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-15Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-20Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-24Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-30Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-36Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-42Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-48Z where Z can be A, B, D, AB or blank

Model(s): HLG-80H-54Z where Z can be A, B, D, AB or blank

Model(s): HLN-80H-YZ Where Y can be 12, 15, 20, 24, 30, 36, 42, 45, 54 and z can be A, B or AB

Model(s): HVG-100-15AB-CZZZZ CZZZZ=0 to 5000, or blank

Model(s): HVG-100-15A-CZZZZ CZZZZ=0 to 5000, or blank

Model(s): HVG-100-15B-CZZZZ CZZZZ=0 to 5000, or blank

Model(s): HVG-100-15D-CZZZZ CZZZZ=0 to 5000, or blank

Model(s): HVG-100-20AB-CZZZZ CZZZZ=0 to 4800, or blank

Model(s): HVG-100-20A-CZZZZ CZZZZ=0 to 4800, or blank

Model(s): HVG-100-20B-CZZZZ CZZZZ=0 to 4800, or blank

Model(s): HVG-100-20D-CZZZZ CZZZZ=0 to 4800, or blank

Model(s): HVG-100-24AB-CZZZZ CZZZZ=0 to 4000, or blank

Model(s): HVG-100-24A-CZZZZ CZZZZ=0 to 4000, or blank

Model(s): HVG-100-24B-CZZZZ CZZZZ=0 to 4000, or blank

Model(s): HVG-100-24D-CZZZZ CZZZZ=0 to 4000, or blank

Model(s): HVG-100-30AB-CZZZZ CZZZZ=0 to 3200, or blank

Model(s): HVG-100-30A-CZZZZ CZZZZ=0 to 3200, or blank

Model(s): HVG-100-30B-CZZZZ CZZZZ=0 to 3200, or blank

Model(s): HVG-100-30D-CZZZZ CZZZZ=0 to 3200, or blank

Model(s): HVG-100-36AB-CZZZZ CZZZZ=0 to 2650, or blank

Model(s): HVG-100-36A-CZZZZ CZZZZ=0 to 2650, or blank

Model(s): HVG-100-36B-CZZZZ CZZZZ=0 to 2650, or blank

Model(s): HVG-100-36D-CZZZZ CZZZZ=0 to 2650, or blank

Model(s): HVG-100-42AB-CZZZZ CZZZZ=0 to 2280, or blank

Model(s): HVG-100-42A-CZZZZ CZZZZ=0 to 2280, or blank

Model(s): HVG-100-42B-CZZZZ CZZZZ=0 to 2280, or blank

Model(s): HVG-100-42D-CZZZZ CZZZZ=0 to 2280, or blank

Model(s): HVG-100-48AB-CZZZZ CZZZZ=0 to 2000, or blank

Model(s): HVG-100-48A-CZZZZ CZZZZ=0 to 2000, or blank

Model(s): HVG-100-48B-CZZZZ CZZZZ=0 to 2000, or blank

Model(s): HVG-100-48D-CZZZZ CZZZZ=0 to 2000, or blank

Model(s): HVG-100-54AB-CZZZZ CZZZZ=0 to 1770, or blank

Model(s): HVG-100-54A-CZZZZ CZZZZ=0 to 1770, or blank

Model(s): HVG-100-54B-CZZZZ CZZZZ=0 to 1770, or blank

Model(s): HVG-100-54D-CZZZZ CZZZZ=0 to 1770, or blank

Model(s): HVG-240-24y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-30y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-36y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-42y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-48y, y may be blank, A, B, D, AB or D2

Model(s): HVG-240-54y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-24y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-30y, y may be blank, A, B, D, AB, or D2

Model(s): HVG-320-36y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-42y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-48y, y may be blank, A, B, D, AB or D2

Model(s): HVG-320-54y, y may be blank, A, B, D, AB or D2

Model(s): HVG-480-24Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-30Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-36Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-42Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-48Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-480-54Y (Y= blank, A, B, AB, Dx or D2)

Model(s): HVG-65-YX-CZZZZ where X may be A, B, D or AB, Y may be 12, 15, 20, 24, 30, 36, 42, 48 and 54, and CZZZZ is optional, when provided, the ZZZZ may be substituted with a four-digit number that is between 0000 and the maximum number as follows. When Y is 12, 15, 20, 24, 30, 36, 42, 48 or 54, the corresponding maximum value for "ZZZZ" is 5000, 4300, 3250, 2710, 2170, 1810, 1550, 1360 or 1210

Model(s): HVGC-1000A-H-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000A-L-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000A-M-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000-H-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000-L-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-1000-M-Y Where Y may be blank, AB, DA, Dx or D2.

Model(s): HVGC-100-XY where X may be 350 or 700 and Y can be A, B or D or AB

Model(s): HVGC-240-1050y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-1400y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-1750y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-2100y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-2800y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-3500y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-240-700y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-1050y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-1400y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-1750y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-2100y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-2800y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-3500y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-320-700y, y may be blank, A, B, D, AB or D2

Model(s): HVGC-480-H-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related

Model(s): HVGC-480-L-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related

Model(s): HVGC-480-M-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related.

Model(s): HVGC-650A-H-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650A-L-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650A-M-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650A-U-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-H-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-L-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-M-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-U-AB-HSP Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-650-U-Y Y indicates blank, B, AB, PL, ADA, DA, Dx or D2

Model(s): HVGC-65-XY where X may be 350, 500, 700, 1050. Y can be A, B, AB or D

Model(s): IDLV-25(A)-60 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

Model(s): IDLV-25x-12 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDLV-25x-24 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDLV-25x-36 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDLV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDLV-65x-y, where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDPV-25(A)-60 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

Model(s): IDPV-25x-12 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDPV-25x-24 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDPV-25x-36 where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): IDPV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): LCM-40Y where Y may be blank, DA, U or UDA

Model(s): LCM-60Y where Y may be blank, DA, U or UDA

Model(s): LDC-80x where x may be blank, B or DA, no safety related.

Model(s): LPF-16-12 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-12P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-15 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-15P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-20 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-20P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-24 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-24P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-30 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-30P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-36 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-36P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-42 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-42P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-48 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-48P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-54 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16-54P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-12 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-12P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-15 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-15P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-20 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-20P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-24 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-24P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-30 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-30P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-36 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-36P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-42 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-42P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-48 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-48P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-54 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-16D-54P where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-12 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-15 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-20 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-24 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-30 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-36 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-42 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-48 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25-54 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-12 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-15 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-20 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-24 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-30 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-36 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-42 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-48 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPF-25D-54 where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPFH-60D-24 , where x can be D or blank, where y can be 12, 15, 24, 36, 42, 48 or 54.

Model(s): LPF-XY-ZQ where X may be 40 or 60, Y may be blank or D. Q may be blank or LU. and Z may be 12, 15, 20, 24, 30, 36, and 42, 48 and 54.

Model(s): LPF-xy-zw where x may be 16 or 25. y may be Blank or D, z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54, and w may be P or blank.

Model(s): LPV-150-Y Series , where Y can be 12, 15, 24, 36 or 48 for output voltage.

Model(s): NPF-120X-12W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-15W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-20W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-24W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-30W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-36W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-42W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-48W X may be blank or D, and W may be blank or BE

Model(s): NPF-120X-54W X may be blank or D, and W may be blank or BE

Model(s): NPF-200-12 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-24 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-36 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-42 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-48 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200-54 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-12 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-24 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-36 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-42 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-48 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-200V-54 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): NPF-40-12 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-15 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-20 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-24 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-30 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-36 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-42 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-48 X may be blank or D, and W may be blank or BE

Model(s): NPF-40-54 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-12 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-15 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-20 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-24 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-30 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-36 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-42 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-48 X may be blank or D, and W may be blank or BE

Model(s): NPF-40D-54 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-12 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-15 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-20 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-24 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-30 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-36 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-42 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-48 X may be blank or D, and W may be blank or BE

Model(s): NPF-60-54 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-12 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-15 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-20 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-24 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-30 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-36 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-42 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-48 X may be blank or D, and W may be blank or BE

Model(s): NPF-60D-54 X may be blank or D, and W may be blank or BE

Model(s): NPF-90X-54VA12, where X may be blank or D

Model(s): NPF-90X-54VA15, where X may be blank or D

Model(s): NPF-90X-54VA16, where X may be blank or D

Model(s): ODLV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.

Model(s): PCD-16-YZ where y can be 350, 700, 1050, 1400 and z may be A or B

Model(s): PCD-25-yz where y can be 350, 700, 1050, 1400 and z may be A or B

Model(s): PCD-25-yz, where y can be 1050, 1400 and z may be A or B.

Model(s): PLD-16-yz where y can be 350, 700, 1050, 1400 and z may be A or B

Model(s): PLD-16-yz, where y can be 700, 1050, 1400 and z may be A or B.

Model(s): PLD-25-y where y can be 350, 700, 1050, 1400

Model(s): PLM-12-X, where X may be 350, 500, 700 or 1050.

Model(s): PLM-25-Y, where Y may be 500, 700 or 1050.

Model(s): PLM-40-X, where X may be 1050, 1400 or 1750.

Model(s): PLM-40-X, where X may be 350, 500 or 700.

Model(s): PLP-X-Y, where X can be 30, 45 or 60 and Y can be 12 or 24.

Model(s): PWM-200-12 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-12DA2 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-12KN X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-24 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-24DA2 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-24KN X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-36 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-36DA2 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-36KN X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-48 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-48DA2 X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-200-48KN X may be blank or V, Y may be 12, 24, 36, 42, 48 or 54, PWM-200-WZ, W may be 12, 24, 36, 48, Z may be Blank, DA2 or KN.

Model(s): PWM-40-12 X may be blank or D, and W may be blank or BE

Model(s): PWM-40-24 X may be blank or D, and W may be blank or BE

Model(s): PWM-40-36 X may be blank or D, and W may be blank or BE

Model(s): PWM-40-48 X may be blank or D, and W may be blank or BE

Model(s): PWM-60-12 X may be blank or D, and W may be blank or BE

Model(s): PWM-60-24 X may be blank or D, and W may be blank or BE

Model(s): PWM-60-36 X may be blank or D, and W may be blank or BE

Model(s): PWM-60-48 X may be blank or D, and W may be blank or BE

Model(s): PWM-90-12DA2 where X may be blank or D, Y may be 12 or 15.

Model(s): XBG-100-X-Y where X may be A or AB and Y may be Blank or C.

Model(s): XBG-160-X-Y where X may be A or AB and Y may be Blank or C.

Model(s): XBG-240-X-Y where X may be A or AB and Y may be Blank or C.

Model(s): XLG-100-12-Y where Y may be Blank, A or AB.

Model(s): XLG-100-24-Y where Y may be Blank, A or AB.

Model(s): XLG-100-H-Y where Y may be Blank, A or AB.

Model(s): XLG-100-X-Y where X may be 12 or L and Y may be Blank, A or AB for marketing purposes.

Model(s): XLG-20-H-Y models: XLG-20-X-Y series, where X may be H, M or L and Y may be Blank or B.

Model(s): XLG-20-L-Y models: XLG-20-X-Y series, where X may be H, M or L and Y may be Blank or B.

Model(s): XLG-20-M-Y models: XLG-20-X-Y series, where X may be H, M or L and Y may be Blank or B.

Model(s): XLG-75-12-Y where Y may be Blank, A or AB.

Model(s): XLG-75-24-Y where Y may be Blank, A or AB.

Model(s): XLG-75-H-Y where Y may be Blank, A or AB.

Model(s): XLG-75-L-Y where Y may be Blank, A or AB.

CEN-60-Y Series, Model(s): CEN-60-12, CEN-60-15, CEN-60-20, CEN-60-24, CEN-60-30, CEN-60-36, CEN-60-42, CEN-60-48, CEN-60-54

CEN-75-Y Series, Model(s): CEN-75-15, CEN-75-20, CEN-75-24, CEN-75-30, CEN-75-36, CEN-75-42, CEN-75-48, CEN-75-54

HLG-100H-YZ Series, Model(s): HLG-100H-20Z Z = blank, A, B or AB., HLG-100H-24Z Z = blank, A, B or AB., HLG-100H-30Z Z = blank, A, B or AB., HLG-100H-36Z Z = blank, A, B or AB., HLG-100H-42Z Z = blank, A, B or AB., HLG-100H-48Z Z = blank, A, B or AB., HLG-100H-54Z Z = blank, A, B or AB.

HLG-100-YZ Series, Model(s): HLG-100-20Z Z = blank, A or B., HLG-100-24Z Z = blank, A or B., HLG-100-30Z Z = blank, A or B., HLG-100-36Z Z = blank, A or B., HLG-100-42Z Z = blank, A or B., HLG-100-48Z Z = blank, A or B., HLG-100-54Z Z = blank, A or B.

HLG-120H-CXY Series, Model(s): HLG-120H-CXY, where X may be 350, 500, 700, 1050 or 1400 and Y can be A, B, AB or D

HLG-120H-XZ Series, Model(s): HLG-120H-12Z Z = blank, A, B or AB., HLG-120H-15Z Z = blank, A, B or AB., HLG-120H-20Z Z = blank, A, B or AB., HLG-120H-24Z Z = blank, A, B or AB., HLG-120H-30Z Z = blank, A, B or AB., HLG-120H-36Z Z = blank, A, B or AB., HLG-120H-42Z Z = blank, A, B or AB., HLG-120H-48Z Z = blank, A, B or AB., HLG-120H-54Z Z = blank, A, B or AB.

HLG-120-XZ Series, Model(s): HLG-120-12Z Z = blank, A or B., HLG-120-15Z Z = blank, A or B., HLG-120-20Z Z = blank, A or B., HLG-120-24Z Z = blank, A or B., HLG-120-30Z Z = blank, A or B., HLG-120-36Z Z = blank, A or B., HLG-120-42Z Z = blank, A or B., HLG-120-48Z Z = blank, A or B., HLG-120-54Z Z = blank, A or B.

HLG-150H-YZ Series, Model(s): HLG-150H-12Z Z = blank, A, B or AB, HLG-150H-15Z Z = blank, A, B or AB, HLG-150H-20Z Z = blank, A, B or AB, HLG-150H-24Z Z = blank, A, B or AB, HLG-150H-30Z Z = blank, A, B or AB, HLG-150H-36Z Z = blank, A, B or AB, HLG-150H-42Z Z = blank, A, B or AB, HLG-150H-48Z Z = blank, A, B or AB, HLG-150H-54Z Z = blank, A, B or AB

HLG-150-YZ Series, Model(s): HLG-150-12Z Z = blank, A or B, HLG-150-15Z Z = blank, A or B, HLG-150-20Z Z = blank, A or B, HLG-150-24Z Z = blank, A, B or AB, HLG-150-30Z Z = blank, A or B, HLG-150-36Z Z = blank, A or B, HLG-150-42Z Z = blank, A or B, HLG-150-48Z Z = blank, A or B, HLG-150-54Z Z = blank, A or B

HLG-185H-CXY Series, Model(s): HLG-185H-CXY, where X may be 500, 700, 1050 or 1400 and Y can be A, B, AB or D.

HLG-185H-YZ Series, Model(s): HLG-185H-12Z Z = blank, A, B or AB, HLG-185H-15Z Z = blank, A, B or AB, HLG-185H-20Z Z = blank, A, B or AB, HLG-185H-24Z Z = blank, A, B or AB, HLG-185H-30Z Z = blank, A, B or AB, HLG-185H-36Z Z = blank, A, B or AB, HLG-185H-42Z Z = blank, A, B or AB, HLG-185H-48Z Z = blank, A, B or AB, HLG-185H-54Z Z = blank, A, B or AB

HLG-185-YZ Series, Model(s): HLG-185-12Z Z = blank, A or B, HLG-185-15Z Z = blank, A or B, HLG-185-20Z Z = blank, A or B, HLG-185-24Z Z = blank, A or B, HLG-185-30Z Z = blank, A or B, HLG-185-36Z Z = blank, A or B, HLG-185-42Z Z = blank, A or B, HLG-185-48Z Z = blank, A or B, HLG-185-54Z Z = blank, A or B

HLG-480H-xy, Model(s): HLG-480H-24y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-30y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-36y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-42y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-48y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLG-480H-xy, Model(s): HLG-480H-54y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-30y, Model(s): HLGP-480H-30y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-24y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-36y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-42y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-48y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

HLGP-480H-xy, Model(s): HLGP-480H-54y where - x may be 24, 30, 36, 42, 48 or 54. y may be blank, A, B, AB, D2 or Dx.

IDLC-25x-y, Model(s): IDLC-25x-1050 x may be blank or A., IDLC-25x-350 x may be blank or A., IDLC-25x-500 x may be blank or A., IDLC-25x-700 x may be blank or A.

IDLC-45, Model(s): IDLC-45X-1050 x may be blank or A, IDLC-45X-1400 x may be blank or A, IDLC-45x-350 x may be blank or A, IDLC-45x-500 x may be blank or A, IDLC-45X-700 x may be blank or A

IDLC-45, Model(s): IDLC-45x-1050z x may be blank or A, z may be blank or DA

IDLC-45, Model(s): IDLC-45x-1400z x may be blank or A, z may be blank or DA

IDLC-45, Model(s): IDLC-45x-350z x may be blank or A, z may be blank or DA

IDLC-45, Model(s): IDLC-45x-500z x may be blank or A, z may be blank or DA

IDLC-45, Model(s): IDLC-45x-700z x may be blank or A, z may be blank or DA

IDLC-65, Model(s): IDLC-65x-1050z x may be blank or A, z may be blank or DA

IDLC-65, Model(s): IDLC-65X-1400z x may be blank or A, z may be blank or DA

IDLC-65, Model(s): IDLC-65X-1750z x may be blank or A, z may be blank or DA

IDLC-65, Model(s): IDLC-65x-700z x may be blank or A, z may be blank or DA

IDLV-45, Model(s): IDLV-45x-60 x may be blank or A

IDPC-25x-y, Model(s): IDPC-25(A)-1050 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

IDPC-25x-y, Model(s): IDPC-25(A)-350 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

IDPC-25x-y, Model(s): IDPC-25(A)-500 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

IDPC-25x-y, Model(s): IDPC-25(A)-700 x may be blank or A. y may be 350, 500, 700 or 1050 for marketing purposes only.

IDPC-45, Model(s): IDPC-45X-1050 x may be blank or A, IDPC-45X-1400 x may be blank or A, IDPC-45X-700 x may be blank or A

IDPC-45, Model(s): IDPC-45x-1050z x may be blank or A, z may be blank or DA

IDPC-45, Model(s): IDPC-45x-1400z x may be blank or A, z may be blank or DA

IDPC-45, Model(s): IDPC-45x-350z x may be blank or A, z may be blank or DA

IDPC-45, Model(s): IDPC-45x-500z x may be blank or A, z may be blank or DA

IDPC-45, Model(s): IDPC-45x-700z x may be blank or A, z may be blank or DA

IDPC-65, Model(s): IDPC-65X-1050z x may be blank or A, z may be blank or DA

IDPC-65, Model(s): IDPC-65X-1400z x may be blank or A, z may be blank or DA

IDPC-65, Model(s): IDPC-65X-1750z x may be blank or A, z may be blank or DA

IDPC-65, Model(s): IDPC-65X-700z x may be blank or A, z may be blank or DA

IDPV-45, Model(s): IDPV-45x-60 x may be blank or A

NPF/PWM-XY-Z Series, Model(s): NPF/PWM-XY-Z where X can be 40 or 60 and where Y can be blank or D and where Z can be 12, 12DA2, 15, 20, 24, 24DA2, 30, 36, 42, 48 or 54.

ODLC-45, Model(s): ODLC-45X-1050 x may be blank or A, ODLC-45X-1400 x may be blank or A, ODLC-45X-350 x may be blank or A, ODLC-45X-500 x may be blank or A, ODLC-45X-700 x may be blank or A

ODLC-45, Model(s): ODLC-45x-1050z x may be blank or A, z may be blank or DA

ODLC-45, Model(s): ODLC-45x-1400z x may be blank or A, z may be blank or DA

ODLC-45, Model(s): ODLC-45x-350z x may be blank or A, z may be blank or DA

ODLC-45, Model(s): ODLC-45x-500z x may be blank or A, z may be blank or DA

ODLC-45, Model(s): ODLC-45x-700z x may be blank or A, z may be blank or DA

ODLC-65, Model(s): ODLC-65X-1050z x may be blank or A, z may be blank or DA

ODLC-65, Model(s): ODLC-65X-1400z x may be blank or A, z may be blank or DA

ODLC-65, Model(s): ODLC-65X-1750z x may be blank or A, z may be blank or DA

ODLC-65, Model(s): ODLC-65X-700z x may be blank or A, z may be blank or DA

ODLV-45, Model(s): ODLV-45x-60 x may be blank or A

XLG-320, Model(s): XLG-320-H-Y X may be V, H, M or L and Y may be A or AB.

XLG-320, Model(s): XLG-320-L-Y X may be V, H, M or L and Y may be A or AB.

XLG-320, Model(s): XLG-320-M-Y X may be V, H, M or L and Y may be A or AB.

XLG-320, Model(s): XLG-320-V-A X may be V, H, M or L and Y may be A or AB.

(%) - Where Z can be blank, A, B or AB.

(%)

(a) - Where X may be 24, 36, 48 or 54 and Y may be A, B, AB, E or blank.

(a)

(a) - Where X may be 24, 36, 48 or 54 and Y may be A, B, AB, E, DA or blank.

(b) - X may be 350, 500, 700, 1050 or 1400. Y may be blank, A, B, D, AB, AD2, ADA, D2 or DA for marketing purposes only.

(b)

* - Where Z can be blank, A or B.

*

* - HLG-100H-54

+ - Where Z can be blank, A, B or C.

+

Last Updated on 2022-05-28

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"